

RUN STRONG.





BUILT FOR A SOLID DAY ON THE WATER.

THE BEST RUNNING HULL AND THE ULTIMATE IN FISHABILITY, HANDS DOWN.

How do you match Starweld's legacy of durability? Start with a quality-welded deep-V and full-length reverse chine hull for faster planing and smoother performance. Use heavy-duty, torsion beam construction for added strength. Include spacious floorplans, generous casting decks for fishability and flexible seating options. Finish it all off with a long list of options like the trailerable ratchet cover, stainless steel 3-step boarding ladder and more hi-tech factory-installed electronics. From pro-designed hulls to rugged family fun machines, every Starweld boat is built to deliver dependable performance season after season.

STARMELD

- 6-7 20 FUSION DC PRO
- 8-9 16 FUSION oc PRO

STAVRIMELD

- **12-13 18 FUSION** DC
 - 16 FUSION DC
 - 16 FUSION sc
- 14-15 20 VICTORY DC
 - 18 VICTORY DC
 - 16 VICTORY DC
- 16-17 19 FLEX DC
 - 17 FLEX DC
- 18-19 16 SPARK DC
 - 16 SPARK sc
 - 16 SPARK T
- 20-21 CONSTRUCTION
- 22-23 OVERVIEW & COMPARISON



The Tourney-Tested Champions.

Designed by pro anglers for pro anglers, the Starweld Pro Series comes standard with our legendary full-length reverse chine hull. This hull is reinforced with a torsion beam construction (TBC) stringer system to deliver even more shock absorption and strength. The Pro also offers a built-in Humminbird Helix 5 sonar unit, large aerated livewells and lockable rod storage for up to eight rods. Superior performance and plentiful features at an affordable price make the Starweld a sure winner.

STANDARD FEATURES

- All-welded Construction with Lifetime Warranty
- Heavy .100 Gauge Hull
- Automotive-inspired Consoles with Speedometer, Tachometer, Volt Meter and Fuel Gauge
- Large, Durable Full-vinyl Bow and Casting Platforms
- 37-gallon Aerated Bow Livewell (20 Pro)
- 30-gallon Aerated Bow Livewell (18 Pro)
- 30-gallon Aerated Stern Livewell (16 Pro's)
- Automatic Bilge
- Jensen MS3A Stereo w/ Bluetooth®
- Trolling Motor Panel
- Sea Star Hydraulic Steering (20 & 18)
- Humminbird Helix 5 Built-in Sonar Unit

POPULAR OPTIONS

- 12/24 Volt Trolling Motor
- Battery Charger
- Snap-on Cover
- Trailerable Ratchet Cover
- Bimini Top w/ Visor (N/A on SC)
- Full Enclosure
- Bow Cover
- Additional Fishing Seat
- Power Pedestal
- Seat Slider
- Bow Cushion Seat
- Rear Flip-Down Bench Seat (16 Only)
- Stainless 3-step Boarding Ladder



DESIGNED BY



18 FUSION PRO 76 FUSION PRO 16 FUSION sc PRO

THE PROS TO

OUTPERFORM



Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
19'6"	97"	31"	25"	1450	1949	175	35	.100"	21'1"	Black



TAKE OFF, TAKE CHARGE.

Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
17'6"	90"	26"	25"	1165	1744	150	27	.100"	19'9"	Black






- Console with Oversized Speed, Tach, and Volt Gauges
- 30-gallon Rear Livewell
- Lockable Center Rod Storage
- Full Vinyl Floor and Casting Platforms
- Side-mounted Rod Holders
- Side Console for Maximum Floor Space













MERCURY



READY. SET. GONE.

Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
16'6"	82"	25"	20"	875	1475	90	13	.100"	18'4"	Black



The Time-tested Hulls.

Season after season, your quality-built
Starweld boat will be ready to take you
out on the water. Whether you choose a
powerful base model, or a model loaded
with your favorite amenities, every Starweld
comes standard with the best running hull
and the longest warranty in the industry.

STANDARD FEATURES

- All-welded Construction with Lifetime Warranty
- Heavy .100 Gauge Hull
- Automotive-inspired Consoles with Speedometer, Tachometer, Volt Meter and Fuel Gauge
- Large, Durable Full-vinyl Bow and Casting Platforms
- Lockable Rod Storage
- 30-gallon Aerated Bow Livewell (N/A on 20 & 18 Victory)
- 19-gallon Aerated Bow Livewell (Victory 18)
- 15-gallon Aerated Bow Livewell (Victory 20)
- Aerated Stern Livewell (Flex & Victory)
- Bow Cushions (Flex & Victory)
- Jensen MS3A w/ Bluetooth® (N/A on Spark)
- Ski Pylon (Victory Series)

POPULAR OPTIONS

- 12/24 Volt Trolling Motor
- Battery Charger
- Sonar Unit
- Snap-on Cover
- Trailerable Ratchet Cover
- Bimini Top w/ Visor (N/A on SC)
- Full Enclosure (N/A on SC)
- Additional Fishing Seat
- Seat Slider
- Power Pedestal
- Stainless Steel 3-step Boarding Ladder



18 16 16 20 18 16 FUSION FUSION VICTORY VICTORY

19 17 16 16 16 FLEX FLEX SPARK SPARK SPARK



Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
17'6"	90"	26"	20"	1225	1744	150	25	.100"	19'9"	Black



THE LIGHTWEIGHT BOAT WITH HEAVYWEIGHT FLAIR.

	Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
16 FUSION	16'6"	82"	25"	20"	1045	1393	90	11	.100"	18'4"	Black
16 FUSION	16'6"	82"	25"	20"	865	1475	90	11	.100"	18'4"	Black



VICTORY IS YOURS.

Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
19'6"	97"	31"	25"	1500	1949	175	35	.100"	21'1"	White



18 VICTORY DC

- Console with Oversized Speed, Tach, and Volt Gauges
- Full Vinyl Floor and Casting Platforms
- Port and Starboard Lockable Rod Boxes
- Ski Pylon
- Convertible Rear Flip-down Bench
- Removable Bow Cushions for Flexiblity
- 19-gallon Bow and 12-gallon Stern Livewell

16 VICTORY DC

- Full Vinyl Floor and Casting Platforms
- 30-gallon Bow Livewell
- Console with Oversized Speed, Tach, and Volt Gauges
- Port and Starboard Lockable Rod BoxesSki Pylon
- Convertible Rear Flip-down Bench
- Removable Bow Cushions for Flexiblity














ACTION HEROES.

FEATURES SHOWN HERE ARE FOR 18 VICTORY DC MODEL

	Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
18 VICTORY	17'6"	90"	26"	20"	1225	1744	150	25	.100"	19'9"	White
16 VICTORY	16'6"	82"	25"	20"	1045	1393	90	11	.100"	18'4"	White



CROWD PLEASER.

Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
18'6"	94"	28"	20"	1395	1744	150	35	.100"	20'9"	Black



WHEN FISHING COMES FIRST.

Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
16'7"	90"	26"	20"	1125	1631	115	25	.100"	19'9"	Black



NOWHERE TO HIDE.

Length	Beam	Interior Depth	Transom Height	Dry Weight (lb)	Max. Capacity (lb)	Maximum HP	Fuel Capacity (gal.)	Aluminum Gauge	Length on Trailer	Available Colors
16'6"	82"	25"	20"	995	1393	90	Portable Tank	.100"	18'4"	Black



1 All-welded Construction

Every Starweld offers the toughness and reliability of all-welded, marine-grade aluminum construction that's backed by a lifetime warranty on all seams.

2 Premium Console

Starweld consoles are automotive-inspired and feature flush-mount sonar graphs along with speedometer, tachometer, voltmeter and fuel gauge.

3 FreshCatch Livewells

Our aerated livewells are timed for convenience and feature a PowerStream nozzle, a single bilge and black thru-hulls. (See model lineup for location and sizes.)

4 Twice-baked Painted Hull

Starweld fully-painted hulls provide showroom looks designed to last for years.

- 5 Lockable Rod Storage provides plenty of secure storage space for your gear and keeps the floor free of obstructions. (See model lineup for in-floor, bow, stern, port and starboard locations.)
- 6 Convertible Rear Bench and Stern Seats allow you to quickly go from leisure to fishing.

7 Machine-formed Ribs

Our unique machine-formed ribs are stronger and more flexible than the heavy two-ply aluminum used by many competitors.

8 Torsion Beam Construction

Instead of the flat I-beams that you find on many boats, Starweld uses the exclusive Starcraft Torsion Beam Construction (TBC) stringer system for exceptional strength and shock absorption.

9 Injection Flotation Foam

On a Starweld, foam is injected, not poured, between the floor and hull — filling all air pockets. This provides greater strength and buoyancy and reduces noise.

10 Reverse Chine Hull

The Starweld full-length reverse chine hull pushes water down and away from the boat for quicker planing, improved cornering and a smoother, drier ride.

11 Aft Casting Platforms

Because Starweld boats are all about fishing, they have the largest aft casting platforms in their class.



THE INDUSTRY'S BEST WARRANTY. PERIOD.



LOWRANCE











BUILT & BACKED BY STARCRAFT.













16 FUSION SC DRO

Standard Hydraulic Steering

THE POWER TO CHOOSE YOUR RIG FOR THE WAY YOU FISH.













Standard Hydraulic Steering

STORAGE ROD STORAGE

















16 SPARĶ

STARCRAFTSTARWELD.COM



THE INDUSTRY'S BEST WARRANTY, PERIOD.

Only a company with the proven history and longevity of a brand like Starcraft can offer you this:

- · Limited lifetime warranty on hull and structure
- · 6-year warranty on all components, carpet, upholstery, and electronics
- · All parts and labor
- · Transferable to second owner

FOLLOW US









2018 MODEL SPECIFICATIONS

	20 FUSION DC PRO	18 FUSION DC PRO	16 FUSION DC PRO	16 FUSION SC PRO	18 FUSION DC	16 FUSION DC	16 FUSION SC	20 VICTORY DC	18 VICTORY DC	16 VICTORY DC	19 FLEX DC	17 FLEX DC	16 SPARK DC	16 SPARK SC	16 SPARK T
Length	19'6"	17'6"	16'6"	16'6"	17'6"	16'6"	16'6"	19'6"	17'6"	16'6"	18'6"	16'7"	16'6"	16'6"	16'6"
Beam	97"	90"	82"	82"	90"	82"	82"	97"	90"	82"	94"	90"	82"	82"	82"
Interior Depth	31"	26"	25"	25"	26"	25"	25"	31"	26"	25"	28"	26"	25"	25"	25"
Transom Height	25"	25"	20"	20"	20"	20"	20"	25"	20"	20"	20"	20"	20"	20"	20"
Dry Weight (1b)	1450	1165	995	875	1225	1045	865	1500	1225	1045	1395	1125	995	790	675
Maximum Cap. (lb)	1949	1744	1393	1475	1744	1393	1475	1949	1744	1393	1744	1631	1393	1393	1393
Maximum H.P.	175	150	90	90	150	90	90	175	150	90	150	115	90	90	60
Fuel Capacity (gal.)	35	27	11	13	25	11	11	35	25	11	35	25	Portable Tank	Portable Tank	Portable Tank
Aluminum Gauge	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"	.100"
Length on Trailer	21'1"	19'9"	18'4"	18'4"	19'9"	18'4"	18'4"	21'1"	19'9"	18'4"	20'9"	19'9"	18'4"	18'4"	18'4"





For the latest news, model updates and other information, please visit **STARCRAFTSTARWELD.COM**.















